



## **ZF0500HS**









CHIMNEY FLANGE DIMS:

O.D. = 19" I.D. = 14-1/4" B.C.D = 16-1/2" NO. OF HOLES = 8 HOLE DIAMETER = 0.53"

**FRONT VIEW** 

	BOILER MODEL - ZF500HS	INCHES	METRIC
Α	LENGTH OF BASE	99 1/4	2521
A1	LENGTH OF SUPPORT FROM BASE	-	-
В	HEIGHT	92 13/16	2357
C	WIDTH OF BASE	45 1/2	1156
D	CTR. LOWER DRUM TO CTR. UPPER DRUM	67	1702
Е	CENTER OF LOWER DRUM TO BOTTOM	10 13/16	275
F	CENTER OF BURNER OPENING TO BOTTOM	33	838
G	OUTLET FLANGE CLASS 300	3	76
Н	DRUM CLEARANCE FROM TOP, FRONT	20 7/8	530
J	CENTER OF FLUE GAS OUTLET TO REAR	17	432
K	DRUM CLEARANCE FROM BASE, FRONT	15 1/2	394
L	TUBE REMOVAL CLEARANCE FROM BASE	28	711
M	UPPER DRUM, OD, NPS	20	508
N	LOWER DRUM, OD, NPS	10 3/4	273
0	FLUE GAS OUTLET, I.D.	14	356
Р	DRUM CLEARANCE FROM BASE, REAR	15 5/16	389
Q	BLOWDOWN, NPT	1 1/2	38
R	BURNER DIMENSION	44	1118
S	CENTER OF TOP DRUM TO TOP OF OUTLET	16 1/2	419
Т	CENTER OF OUTLET TO ENCLOSURE FRONT	45 5/8	1159
U	INLET, 3000 PSI ASA HALF COUPLING	1 1/4	32
٧	FEEDWATER INLET FROM BASE	55 9/16	1411
W	OVERALL BOILER LENGTH	135 7/16	3440
Χ	OVERALL BOILER LENGTH W/ BURNER	158 9/16	4027

NOTE: "X" DIMENSION MAY VARY BASED ON BURNER

NOTE: DIMENSIONS SUBJECT TO CHANGE WITHOUT NOTICE CONSULT FACTORY FOR CERTIFIED DIMENSIONS.

