SOLEE DATA CONNECTION SC OFERANCE QUEE USG 250 OFFRANCE WEEK (158) 4490 HEAT (158) 149 0000 0000 150 0000000000000000000000000	CONNECTIONICH)TYPERAT4HALF COUPLING304SORF FLANGE1FULL COUPLING306ELLIPTICAL50FULL COUPLING305FULL COUPLING305SORF FLANGE1	ATTING 3000# 150# 3000#
OPERATING WRIGHT (MR) State (MR) NO. OF KOLES Sign NO. OF KOLES Sign NO. OF KOLES Sign OUTPOT (MR) Sign NO. OF KOLES Sign OUTPOT (MR) Sign NO. OF KOLES Sign OUTPOT (MR) Sign OUTPOT (MR) Sign OUTPOT (MR) Sign OPERATING WRIGHT Sign State (MR) OUTPOT (MR) Sign OUTPOT (MR) Sign Sign OUTPOT (MR) Sign Sign OUTPOT (MR) Sign Sign OUTPOT (MR) Sign Sign Sign OUTPOT (MR) Sign Sign Sign Sign	ICH) TYPE RAT 4 HALF COUPLING 30 SORF FLANGE 1 FULL COUPLING 30 6 ELLIPTICAL FULL COUPLING 30 FULL COUPLING 30 SORF FLANGE 1	3000# 150#
HEALMAND (MBP) HEAD D HOLE DIAMETER 3.4 D Astronomic State Relation of the state of the	SORF FLANGE1FULL COUPLING306ELLIPTICALFULL COUPLING30FULL COUPLING30SORF FLANGE1	150#
C SUBFACE BLOYDOWN 132 P SAFY RELEY VALUE 132 P SAFY RELEY VALUE 132 P REFACE BLOYDOWN 132 <td>FULL COUPLING306ELLIPTICALFULL COUPLING30FULL COUPLING30SORF FLANGE1</td> <td> I I)</td>	FULL COUPLING306ELLIPTICALFULL COUPLING30FULL COUPLING30SORF FLANGE1	I I)
C B B C B C C C C C C C C C C C C C	6ELLIPTICALFULL COUPLING30FULL COUPLING30SORF FLANGE1	
C B B B C B C C C C C C C C C C C C C	FULL COUPLING 30 SORF FLANGE 1	
C B B B C C C C C C C C C C C C C	SORF FLANGE 1	3000# 3000#
	FULL COUPLING 30	150#
C B B B B C C C C C C C C C C C C C C C		3000#
$C = \begin{bmatrix} 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 \\ 0 & 0 &$		3000#
		3000#
$C = \begin{bmatrix} 1 & 1 & 1 & 1 & 1 & 1 & 1 & 1 & 1 & 1$	r chooses left/right installc	ation
	chooses ien/ngni insidiid	alion
$C = 115\frac{1}{39}$ $B = 115\frac{1}{10}$ $B = 1000$ $C = 10000$ $C = 1000$ $C = 1$		
$B = \begin{bmatrix} 115\frac{2}{3}, \\ 12\frac{1}{4}, \\ 12\frac{1}{4}$		
B		C
B		
B		
B		
$B \qquad \qquad$		
$B \qquad \qquad$		
B B B C C C C C C C C C C C C C		
B		
		В
TOP VIEW		
REAR VIEW		
▲ UNLESS OTHERWISE SPECIFIED: NAME DA DIMENSIONS ARE IN INCHES DIMENSIONS ARE IN INCHES DIMENSIONS ARE IN INCHES DRAWN SR 10/30,	[/ [[]]] L NISKQVUNG, NT, 12309, USA	
A 1. ADEQUATE BOIL OUT PROCEDURES MUST BE IMPLEMENTED BEFORE BOILER PLACED IN SERVICE Image: total display="block-color: block-color:	TITI F	A
2. PROPER WATER TREATMENT PROGRAM IS CRITICAL TO THE OPERATION OF THIS BOILER.	TCS-450LS (4p) Boiler ASSY	rking\54512 \\54512_SM
3. WARRANTIES, EXPRESSED OR IMPLIED, WILL BE RENDERED NULL AND VOID IF PROPER WATER		
TREATMENT PROGRAM IS NOT IMPLEMENTED AND MAINTAINED. CONSULT LOCAL WATER FORCE POWER . ANY REPRODUCTION SEE NOTE 1 TREATMENT SPECIALISTS FOR DESIGN AND SUPPLY OF REQUIRED WATER TREATMENT SYSTEM IN PART OR AS A WHOLE WITHOUT IN PART OR AS A WHOLE WITHOUT	C 54512_SM	REV Remeining Name
THE WRITTEN PERMISSION OF FORCE POWER IS PROHIBITED.		
4 2	SCALE: 1:48 WEIGHT: 31892.94 SHEE	

	CONNECTION SCHEDULE						
TAG	DESCRIPTION	CONNECTION					
		SIZE (INCH)	ТҮРЕ	RATTING			
A *	CONTROLS	1-1/4	HALF COUPLING	3000#			
В	STEAM OUTLETS	10	SORF FLANGE	150#			
C *	SURFACE BLOWDOWN	3	FULL COUPLING	3000#			
D	MANHOLE	12X16	ELLIPTICAL				
E	SAFETY RELIEF VALVE	3	FULL COUPLING	3000#			
F*	REVERSING CHAMBER WASHOUT	3	FULL COUPLING	3000#			
G *	CONDENSATE INLET	4	SORF FLANGE	150#			
Н	WASHOUTS	3	FULL COUPLING	3000#			
J	REAR DOOR	16					
K*	LOW FIRE HOLD	1/2	FULL COUPLING	3000#			
L*	FURNACE INSPECTION	3	FULL COUPLING	3000#			
Μ	TUBE PULL	209					



