
	4		3				
BOILER DATA		VENT FLANGE	DIMENSIONS				
OPERATING VOLUME (USG		OD	20-1/8				
· · · · · · · · · · · · · · · · · · ·	-	ID	16				
OPERATING WEIGHT (LBS)	15100	B.C.D.	18.5				
HEAT IMPUT (MBH)	3270	NO. OF HOLES	8				
OUTPUT (HP)	80	HOLE DIAMETER	1/2				


D

С


В


Α





65눉





1. ADEQUATE BOIL OUT PROCEDURES MUST BE IMPLEMENTED BEFORE BOILER PLACED IN SERVICE (SEE OPERATION MANUAL).

2. PROPER WATER TREATMENT PROGRAM IS CRITICAL TO THE OPERATION OF THIS BOILER. 3. WARRANTIES, EXPRESSED OR IMPLIED, WILL BE RENDERED NULL AND VOID IF PROPER WATER TREATMENT PROGRAM IS NOT IMPLEMENTED AND MAINTAINED. CONSULT LOCAL WATER TREATMENT SPECIALISTS FOR DESIGN AND SUPPLY OF **REQUIRED WATER TREATMENT SYSTEM** 4. ALL DIMENSIONS FOR REFERENCE ONLY.

Ø 59<u>3</u>"

PROPRIETARY A THE INFORMATIC DRAWING IS THE FORCE POWER. IN PART OR AS A THE WRITTEN PE FORCE POWER IS

4

3

0
Ζ

	CONNECTI	ON SCHEDU	ILE				
TAG		CONNECTION					
	DESCRIPTION	SIZE (INCH)	TYPE	RATTING			
A *	CONTROLS	1-1/4	HALF COUPLING	3000#			
В	STEAM OUTLETS	8	SORF FLANGE	150#			
C *	SURFACE BLOWDOWN	3	FULL COUPLING	3000#			
D	MANHOLE	12X16	ELLIPTICAL				
Ε	SAFETY RELIEF VALVE	2-1/2	FULL COUPLING	3000#			
F*	REVERSING CHAMBER WASHOUT	3	FULL COUPLING	3000#			
G*	CONDENSATE INLET	3	SORF FLANGE	150#			
Н	WASHOUTS	3	FULL COUPLING	3000#			
J	REAR DOOR	16					
K *	LOW FIRE HOLD	1/2	FULL COUPLING	3000#			
L*	FURNACE INSPECTION	3	FULL COUPLING	3000#			
Μ	TUBE PULL	135					

* - Owner chooses left/right installation

С

В

TOP VIEW

A WHOLE WITHOUT ERMISSION OF IS PROHIBITED.	APPLICATION DO NOT SCALE		DO NOT SCALE DRAWING				SCALE: 1:48 WEIGHT: 9063.14308HEET 1 OF 1			
	NEXT ASSY	USED ON	FINISH SEE NOTE 3				C	50812_SM	A Eet 1 OF 1	
OLE PROPERTY OF NY REPRODUCTION			material SEE NOTE 1				SIZE D		REV	
AND CONFIDENTIAL			TOLERANCING PER: ANSI Y14.5							
			INTERPRET GEOMETRIC	Q.A.				('P)		
			ANGULAR: ± 0.25° TWO PLACE DECIMAL ± .010" THREE PLACE DECIMAL ± .005" SURFACE FINISH	MFG APPR.				(4p)		
				ENG APPR.				TCS-80 Boiler ASSY		
				CHECKED			TITLE:			
_			DIMENSIONS ARE IN INCHES TOLERANCES:	DRAWN	SR	10/30/2015	V FORCE	PH. (518) 377-2349, FAX (518) 344-749	5	
			UNLESS OTHERWISE SPECIFIED:		NAME	DATE	Fora	30 Commerce Park Drive Niskayuna, NY, 12309, USA		